

## Conexpro 1.25 Gbps SFP optical modules



SFP modules with a speed of 1.25 Gbps are commonly used for connecting to networks at Gigabit Ethernet speeds. These modules are ideal for data transmission in smaller or medium-sized networks where extremely high throughput is not required. SFP 1.25 Gbps modules support both optical and electrical media, providing flexibility in network device configurations. Due to their reliability and wide availability, these modules are a common choice for many enterprise and commercial networking applications.



**S-31DLC-20**

**S-31DLC-3**

**S-3155LC-20**

**S-3155SC-20**

**S-3155LC-3**

	<b>S-31DLC-20</b>	<b>S-31DLC-3</b>	<b>S-3155LC-20</b>	<b>S-3155SC-20</b>	<b>S-3155LC-3</b>
<b>Format</b>	SFP	SFP	SFP	SFP	SFP
<b>Cable type</b>	Single Mode	Single Mode	Single Mode	Single Mode	Single Mode
<b>Data speed</b>	1.25 Gbps	1.25 Gbps	1.25 Gbps	1.25 Gbps	1.25 Gbps
<b>Wavelength Tx</b>	1310 nm	1310 nm	1310 nm	1310 nm	1310 nm
<b>Wavelength Rx</b>	1310 nm	1310 nm	1550 nm	1550 nm	1550 nm
<b>Distance</b>	20 km	3 km	20 km	20 km	3 km
<b>Connectors</b>	(2) LC	(2) LC	(1) LC	(1) SC	(1) LC
<b>Operating Temperature</b>	0 to 70	0 to 70	0 to 70	0 to 70	0 to 70
<b>DDMI</b>	Yes	Yes	Yes	Yes	Yes



**S-3155SC-3**

**S-5531LC-20**

**S-5531SC-20**

**S-5531L-3**

**S-5531SC-3**

	<b>S-3155SC-3</b>	<b>S-5531LC-20</b>	<b>S-5531SC-20</b>	<b>S-5531L-3</b>	<b>S-5531SC-3</b>
<b>Format</b>	SFP	SFP	SFP	SFP	SFP
<b>Cable type</b>	Single Mode	Single Mode	Single Mode	Single Mode	Single Mode
<b>Data speed</b>	1.25 Gbps	1.25 Gbps	1.25 Gbps	1.25 Gbps	1.25 Gbps
<b>Wavelength Tx</b>	1310 nm	1550 nm	1550 nm	1550 nm	1550 nm
<b>Wavelength Rx</b>	1550 nm	1310 nm	1310 nm	1310 nm	1310 nm
<b>Distance</b>	3 km	20 km	20 km	3 km	3 km
<b>Connectors</b>	(1) SC	(1) LC	(1) SC	(1) LC	(1) SC
<b>Operating Temperature</b>	0 to 70	0 to 70	0 to 70	0 to 70	0 to 70
<b>DDMI</b>	Yes	Yes	Yes	Yes	Yes



**IS-31DLC-20**

**S-RJ45-01**

	<b>IS-31DLC-20</b>	<b>S-RJ45-01</b>
<b>Format</b>	SFP	SFP
<b>Cable type</b>	Single Mode	Ethernet
<b>Data speed</b>	1.25 Gbps	1 Gbps
<b>Wavelength Tx</b>	1310 nm	-
<b>Wavelength Rx</b>	1310 nm	-
<b>Distance</b>	20 km	100 m
<b>Connectors</b>	(2) LC	RJ45
<b>Operating Temperature</b>	-45 to 85	0 to 70
<b>DDMI</b>	Yes	-